


## AM125



GEO Italy S.R.L.

# Table of Contents

| Tavola        | Page |
|---------------|------|
| AM125_parte 1 | 3    |
| AM125_parte 2 | 7    |
| AM125_parte 3 | 11   |
| AM125_parte 4 | 15   |



| Pos | Code            | Description                 | NOTE     | Q. |
|-----|-----------------|-----------------------------|----------|----|
| 1   | GB5783-M16.x.35 | full screwed bolt           |          | 4  |
| 2   | GB97.1-16       | Plain washer 16             |          | 4  |
| 3   | FHM46-0101-00   | linkage frame weldment      |          | 1  |
| 4   | GB97.1-12       | plain washer 12             |          | 8  |
| 5   | DIN985-M12      | nut M12                     |          | 4  |
| 6   | FHM46-0100-12   | bearing base plate          |          | 2  |
| 7   | FHM46-0103-100  | hood weldment 100           |          | 1  |
| 7   | FHM46-0103-80   | hood weldment 80            |          | 1  |
| 8   | DIN985-M10      | Locking nut M10             |          | 15 |
| 9   | GB97.1-10       | PLAIN WASHER 10             |          | 26 |
| 10  | FHM46-0100-03   | second bearing seat         |          | 1  |
| 11  | UCF207          | BEARING SEAT UCF207 SQUARED |          | 1  |
| 12  | FHM46-0100-02   | end cap                     |          | 1  |
| 13  | GB5783-M10x45   | Bolt M10X45                 |          | 4  |
| 14  | DIN985-M8       | nut M8                      |          | 13 |
| 15  | GB97.1-8        | Plain washer 8              |          | 26 |
| 16  | GB5783-M8x25    | bolt M8X25                  |          | 3  |
| 17  | FHM46-0100-00   | shaft 100                   |          | 1  |
| 17  | FHM46-080-00    | board weldment 80           |          | 1  |
| 18  | FHM46-0100-11   | pressure bar 100            | (L=1045) | 2  |
| 18  | FHM46-080-11    | pressure bar 80             |          | 1  |
| 19  | FHM46-0100-10   | rubber board 100            |          | 1  |
| 19  | FHM46-080-10    | rubber board 80             |          | 1  |
| 20  | GB5783-M8x30    | bolt M8X30                  |          | 10 |
| 21  | GB5783-M10x25   | Bolt M10X25                 |          | 7  |

Machine: AM125

Assembly: AM125\_parte 1



| Pos | Code                | Description                  | NOTE | Q. |
|-----|---------------------|------------------------------|------|----|
| 22  | FHM46-0080-00       | shaft 80                     |      | 1  |
| 22  | FHM46-0100-00       | shaft 100                    |      | 1  |
| 23  | GB6170-M14          | Nut 14                       |      | 2  |
| 24  | GB93-14             | spring washer 14             |      | 2  |
| 25  | GB893.1-90          | Circlip 90                   |      | 2  |
| 26  | GB13871-FB-60X90X10 | FB oil seal                  |      | 1  |
| 27  | GB288-22210-C       | self-aligning roller bearing |      | 1  |
| 28  | GB894.1-50          | A shaft check ring           |      | 1  |
| 29  | FHM46-0100-08       | spline housing               |      | 1  |
| 30  | GB77-M6X6           | inner hexagon set screw      |      | 1  |
| 31  | GB1152-M6           | Grease Nipple M6             |      | 1  |
| 32  | GB70.3-M10X40       | inner hexagon sunk screw     |      | 4  |
| 33  | KM30.22.L0-83K9     | hydraulic motor              |      | 1  |
| 34  | GB97.1-14           | Plain washer 14              |      | 2  |
| 35  | FHM46-0100-07       | motor protection plate       |      | 1  |
| 36  | GB5783-M14x60       | full screw bolt              |      | 2  |
| 37  | FHM46-0100-01       | spline seat                  |      | 1  |
| 38  | GB5782-M12x90       | Bolt M12x90                  |      | 16 |
| 39  | FHM46-0100-04       | cushion block                |      | 32 |
| 40  | FHM46-0100-06       | bend blade                   |      | 32 |
| 41  | FHM46-0100-05       | straight blade               |      | 16 |
| 42  | DIN985-M12          | nut M12                      |      | 16 |
| 43  | FHM46-0105-100      | Roller weldment 100          |      | 1  |
| 43  | FHM46-0105-80       | Roller weldment 80           |      | 1  |
| 44  | GB5782-M12x45       | Bolt M12x45                  |      | 4  |

GEO Italy S.R.L.

Via G. Abbate, 215, 14054 Castagnole delle Lanze AT


Page 5

Machine: AM125

Assembly: AM125\_parte 1



| Pos | Code           | Description      | NOTE | Q. |
|-----|----------------|------------------|------|----|
| 45  | UCFL205        | bearing          |      | 2  |
| 46  | FHM46-0100-100 | rubber board 100 |      | 1  |
| 46  | FHM46-0100-80  | rubber board 80  |      | 1  |



| Pos | Code           | Description                 | NOTE | Q. |
|-----|----------------|-----------------------------|------|----|
| 1   | GB5783-M6X25   | bolt M6X25                  |      | 4  |
| 2   | GB93-6         | spring washer 6             |      | 12 |
| 3   | 4TJ140-1200-01 | hydraulic oil tank filter   |      | 1  |
| 4   | FHM46-0213-00  | oil tank                    |      | 1  |
| 5   | JB7941.2-B80   | (YWZ-80T) Oil level         |      | 1  |
| 6   | GB97.1-6       | Plain washer 6              |      | 8  |
| 7   | GB5783-M6X16   | bolt M6X16                  |      | 8  |
| 8   | GB5783-M10X45  | Bolt M10X45                 |      | 2  |
| 9   | FHM46-0216-00  | below linkage pin shaft     |      | 2  |
| 10  | GB93-10        | spring washer 10            |      | 2  |
| 11  | FHM46-0201-00  | big boom pin shaft          |      | 2  |
| 12  | GB5782-M16X160 | half screw bolt             |      | 2  |
| 13  | DIN985-M16     | Locking Nut M16             |      | 2  |
| 14  | GB97.1-16      | Plain washer 16             |      | 4  |
| 15  | GB5783-M8X30   | bolt M8X30                  |      | 5  |
| 16  | GB93-8         | Spring washer 8             |      | 11 |
| 17  | FHM46-0214-00  | big boom cylinder pin shaft |      | 3  |
| 18  | FHM46-0207-00  | bed frame                   |      | 1  |
| 19  | GB5783-M18X80  | full screw bolt             |      | 3  |
| 20  | FHM46-0200-07  | shaft sleeve                |      | 4  |
| 21  | DIN985-M18     | Locking Nut M18             |      | 5  |
| 22  | GB97.1-18      | Plain washer 18             |      | 10 |
| 23  | FHM46-0212-00  | supporting leg              |      | 2  |
| 24  | GB5782-M18X180 | half screw bolt             |      | 2  |
| 25  | FHM46-0211-00  | leg brace pin shaft         |      | 2  |


| Pos | Code           | Description                | NOTE | Q. |
|-----|----------------|----------------------------|------|----|
| 26  | 1G-150-01-142S | small R pin                |      | 2  |
| 27  | GB1152-M10X1   | Grease Nipple M10x1        |      | 5  |
| 28  | FM120.00.199D  | PTO COVER                  |      | 1  |
| 29  | GB97.1-12      | plain washer 12            |      | 4  |
| 30  | GB93-12        | spring washer 12           |      | 4  |
| 31  | GB5783-M12X35  | Bolt M12X35                |      | 4  |
| 32  | FHM46-0208-00  | connecting lever           |      | 1  |
| 33  | 1G-150.01.131C | M30X1.5 lock round nut     |      | 1  |
| 34  | FHM46-0209-00  | lifting ear pin shaft      |      | 1  |
| 35  | GB5783-M8X25   | bolt M8X25                 |      | 4  |
| 36  | 200.56.011     | Lock pin                   |      | 5  |
| 37  | FHM46-0210-00  | lifting ear                |      | 1  |
| 38  | FHM46-0217-00  | adjusting pull rod         |      | 2  |
| 39  | GB5783-M8X40   | bolt M8X40                 |      | 1  |
| 40  | FHM46-0206-00  | hitch frame pin shaft      |      | 1  |
| 41  | FHM46-0205-00  | arm plate pin shaft        |      | 3  |
| 42  | FSLU-M22X1.5   | nylon lock round nut       |      | 3  |
| 43  | FHM46-0200-13  | push rod seat shaft sleeve |      | 4  |
| 44  | FHM46-0200-05  | push rod                   |      | 1  |
| 45  | GB1152-M6      | Grease Nipple M6           |      | 2  |
| 46  | FHM46-0204-00  | cylinder pin shaft         |      | 2  |
| 47  | FSLU-M35X1.5   | M35X1.5 round nut          |      | 1  |
| 48  | FHM46-0200-03  | arm plate                  |      | 2  |
| 49  | FHM46-0200-04  | shaft sleeve 1             |      | 2  |
| 50  | FHM46-0200-14  | shaft sleeve 2             |      | 2  |

Machine: AM125

Assembly: AM125\_parte 2



| Pos | Code          | Description          | NOTE | Q. |
|-----|---------------|----------------------|------|----|
| 51  | FHM46-0218-00 | linkage frame        |      | 1  |
| 52  | FHM46-0200-11 | side plate pin shaft |      | 3  |
| 53  | ZL-25.104     | R pin                |      | 1  |
| 54  | FHM46-0200-12 | hitch pin shaft      |      | 1  |
| 55  | FHM46-0200-08 | hold-down nut        |      | 4  |
| 56  | GB70.1-M10X30 | Bolt M10x30          |      | 4  |
| 57  | GB97.1-10     | PLAIN WASHER 10      |      | 4  |
| 58  | FHM46-0200-02 | limited block        |      | 2  |
| 59  | FHM46-0200-01 | oil tube cover 2     |      | 1  |
| 60  | FHM46-0202-00 | small arm pin shaft  |      | 1  |
| 61  | GB5783-M8X16  | bolt M8X16           |      | 1  |
| 62  | FSLU-M40X1.5  | nylon lock round nut |      | 2  |
| 63  | FHM46-0203-00 | small arm            |      | 1  |
| 64  | FHM46-0215-00 | big arm              |      | 1  |
| 65  | FHM46-0200-06 | oil tube cover 1     |      | 1  |
| 66  | FHM46-0220-00 | oil tank cover       |      | 1  |
| 67  | GB5783-M10X20 | Bolt M10x20          |      | 3  |
| 68  | CBW-00.015    | Drain plug           |      | 1  |



| Pos | Code           | Description                         | NOTE | Q. |
|-----|----------------|-------------------------------------|------|----|
| 1   | GB5783-M8X16   | bolt M8X16                          |      | 6  |
| 2   | GB97.1-8       | Plain washer 8                      |      | 4  |
| 3   | F2086-DC12V    | air cooling                         |      | 1  |
| 4   | 1DB-30-08WD    | M30×2-G1/2 transition connector     |      | 6  |
| 5   | FHM46-0319-00  | radiator to oil filter tube         |      | 1  |
| 6   | FHM46-0318-00  | single valve to radiator tube       |      | 1  |
| 7   | FHM46-0314-00  | big arm oil return tube             |      | 1  |
| 8   | GB3541-M14X1.5 | hinge joint bolt M14X1.5            |      | 2  |
| 9   | TDQ-14         | copper washer                       |      | 4  |
| 10  | FHM46-0312-00  | motor oil return transition tube    |      | 1  |
| 11  | GB70.1-M14X35  | inner hexagon socket cap screw      |      | 2  |
| 12  | GB93-14        | spring washer 14                    |      | 2  |
| 13  | 7991004W       | oil pump                            |      | 1  |
| 14  | FHM46-0317-02  | oil pump oil inlet connector        |      | 1  |
| 15  | GB93-14        | spring washer 14                    |      | 12 |
| 16  | GB70.1-M10X25  | Bolt M10x25                         |      | 8  |
| 17  | 2C9-45W        | M45X2 bend                          |      | 1  |
| 18  | FHM46A-0304-00 | pump to oil tank tube               |      | 1  |
| 19  | FHM46-0317-01  | connecting plate                    |      | 1  |
| 20  | FHM46-0317-04  | spline housing                      |      | 1  |
| 21  | 1CO-18-10      | M18X1.5-7/8X14 transition connector |      | 1  |
| 22  | FHM46-0308-00  | multiple-way valve to pump oil tube |      | 1  |
| 23  | FHM46-0306-00  | single-way valve to pump oil tube   |      | 1  |
| 24  | FHM46-0317-03  | oil pump oil exit connector         |      | 1  |
| 25  | GB70.1-M10X20  | Bolt M10X20                         |      | 4  |


| Pos | Code           | Description                     | NOTE | Q. |
|-----|----------------|---------------------------------|------|----|
| 26  | 70001-4        | set-up gear box                 |      | 1  |
| 27  | QF-G1.1/4      | ball valve                      |      | 1  |
| 28  | 1CT-45-20      | 1/4-M45×2 transition connector  |      | 1  |
| 29  | FHM46-0303-00  | oil cylinder                    |      | 1  |
| 30  | FHM46-0310-00  | motor oil tube                  |      | 2  |
| 31  | GB6173-M14X1.5 | Locking Nut M14x1.5             |      | 1  |
| 32  | GB6173-M30X2   | fin thread thin nut             |      | 2  |
| 33  | GB93-8         | Spring washer 8                 |      | 11 |
| 34  | FHM46-0300-01  | junction plate                  |      | 1  |
| 35  | 6C-14          | M14×1.5 connector               |      | 1  |
| 36  | 6C-30          | M30×2 connector                 |      | 2  |
| 37  | 1CB-14-06WD    | M14×1.5-G3/8 connector          |      | 1  |
| 38  | TDQ-16         | copper washer                   |      | 8  |
| 39  | FHM46-0307-00  | oil cylinder tube               |      | 2  |
| 40  | GB3541-M16X1.5 | hinge joint bolt M16X1.5        |      | 4  |
| 41  | FHM46-0200-08  | hold-down nut                   |      | 4  |
| 42  | QHHTTPG-430    | pipe clamp                      |      | 5  |
| 43  | FHM46-0300-03  | pipe clamp bottom plate         |      | 4  |
| 44  | FHM46-0300-04  | small pipe clamp                |      | 4  |
| 45  | GB70.1-M8X70   | inner hexagon socket cap screw  |      | 3  |
| 46  | FHM46-0302-00  | small arm cylinder              |      | 1  |
| 47  | FHM46-0301-00  | big arm cylinder                |      | 1  |
| 48  | FHM46-0311-00  | small arm cylinder tube         |      | 2  |
| 49  | 1CB-30-12WD    | M30×2-G3/4 transition connector |      | 2  |
| 50  | FHM46-0305-00  | big arm cylinder                |      | 1  |

Machine: AM125

Assembly: AM125\_parte 3



| Pos | Code           | Description                           | NOTE | Q. |
|-----|----------------|---------------------------------------|------|----|
| 51  | 1CM-16-14WD    | M16×1.5-M14×1 transition connector    |      | 2  |
| 52  | I08384_0       | single-way valve                      |      | 1  |
| 53  | GB5782-M8X60   | Bolt M8x60                            |      | 5  |
| 54  | FHM46A-0316-00 | multiple-way valve to oil filter tube |      | 1  |
| 55  | G3/8(4B-06WD)  | uter hexagon frame combination plug   |      | 1  |
| 56  | 1CB-18-06WD    | Joint M18X1.5-G3/8                    |      | 2  |
| 57  | 1CB-16-06WD    | Joint M16X1.5-G3/8                    |      | 4  |
| 58  | MBH-8.08.305Y  | Throttle connector                    |      | 1  |
| 59  | AM60.04.022Y   | Triple way valve                      |      | 1  |
| 60  | RFA-160×30L    | oil return filter                     |      | 1  |
| 61  | 1CM-18WD       | M18×1.5 adapter                       |      | 1  |
| 62  | GB70.1-M12X30  | inner hexagon socket cap screw        |      | 4  |
| 63  | GB93-12        | spring washer 12                      |      | 4  |
| 64  | JB982-48       | bonded washer                         |      | 1  |
| 65  | AM125.00.01    | Filter Connection                     |      | 1  |



| Pos | Code               | Description                 | NOTE | Q. |
|-----|--------------------|-----------------------------|------|----|
| 1   | GB70.1-M5X20       | Bolt M5X20                  |      | 6  |
| 2   | AM60.01.201        | Cable connector             |      | 3  |
| 3   | AM60.01.202        | pressure connector          |      | 3  |
| 4   | AM60.01.205        | Pin                         |      | 4  |
| 5   | AM60.01.204        | Lock connector              |      | 4  |
| 6   | AM60.01.115        | Sticker plate               |      | 1  |
| 7   | FHM46-0402-00      | hand shank supporting frame |      | 1  |
| 8   | FHM46-0400-01      | sticker                     |      | 1  |
| 9   | DIN985-M6          | Locking nut M6              |      | 4  |
| 10  | GB97.1-6           | Plain washer 6              |      | 4  |
| 11  | AM60.01.101        | Pin                         |      | 2  |
| 12  | GB70.1-M5X25       | Bolt M5X25                  |      | 8  |
| 13  | GB70.1-M5X12       | Bolt M5X20                  |      | 8  |
| 14  | AM60.01.106        | Lock washer                 |      | 1  |
| 15  | GB78-M5X8          | Bolt M5X8                   |      | 1  |
| 16  | AM60.01.105        | fixing seat                 |      | 1  |
| 17  | GB93-8             | Spring washer 8             |      | 4  |
| 18  | GB6170-M8          | Nut M8                      |      | 4  |
| 19  | AM60.01.104        | O - ring                    |      | 1  |
| 20  | GB3452.1-G-16X2.65 | Washer 16X2.65              |      | 1  |
| 21  | AM60.01.107        | lock joystick               |      | 1  |
| 22  | AM60.04.092        | Handle                      |      | 1  |
| 23  | GB6172.1-M10       | Nut M10                     |      | 4  |
| 24  | MBH-6.08.108       | Joy stick                   |      | 4  |
| 25  | BH-6.07.091        | Small handle cap            |      | 4  |

Machine: AM125

Assembly: AM125\_parte 4



| Pos | Code           | Description                         | NOTE | Q. |
|-----|----------------|-------------------------------------|------|----|
| 26  | AM60.01.119    | Cover                               |      | 4  |
| 27  | GB119.1-B-6X26 | B6X26 PIN                           |      | 4  |
| 28  | AM60.01.103    | Lock washer                         |      | 10 |
| 29  | AM60.01.118A   | Pull pole                           |      | 1  |
| 30  | AM60.01.123A   | Up cover                            |      | 4  |
| 31  | AM60.01.011A   | Cable                               |      | 4  |
| 32  | AM60.01.112A   | lower cover                         |      | 4  |
| 33  | AM60.01.109    | flange sleeve                       |      | 8  |
| 34  | AM60.01.111A   | Pull pole                           |      | 3  |
| 35  | AM60.01.110    | Return spring                       |      | 3  |
| 36  | AM60.01.122    | Circle                              |      | 6  |
| 37  | AM60.01.113    | Shell Valve Piece                   |      | 3  |
| 38  | AM60.01.117    | shell with pin hole                 |      | 1  |
| 39  | AM60.01.114    | Up cover                            |      | 4  |
| 40  | GB70.1-M5X40   | Bolt M5X40                          |      | 8  |
| 41  | AM60.01.120    | Director                            |      | 4  |
| 42  | FHM46-0401-00  | joystick cushion                    |      | 1  |
| 43  | GB70.2-M8X30   | inner hexagon flat round head screw |      | 4  |
| 44  | AM60.01.102    | fixing seat 1                       |      | 1  |