


YK0850. YK0870 round baler

frame assy




No.	Drawing No.	name	quantity	No.	Drawing No.	name	quantity
1	YK50. 1-01 -00	YK0850 front frame CP	1	26	YK70. 1-13	Connection pin	2
	YK70. 1-01 -00	YK0870 front frame CP	1	27	GB6710-86	Hexagon nut M22XI. 5 (8. 8)	2
3	YK70. 1-02	Connecting plate	1	28	YK70. 1-14- 00	Supporting rod CP; 450A	1
4	GB5786-86	Bolt M10×25 (8. 8)	4	29	HB4187-198 9	bayonet pin 9	1
6	YK50. 1-03 -00	pivot pipe CP YK0850	1	30	YK70. 1-21	cover	1
	YK70. 1-03 -00	pivot pipe CP YK0870	1	31	YK50. 1-15	YK0850 Rear cover	1
7	YK70. 1-04	top cover	2		YK70. 1-15	YK0870 Rear cover	1
8	YK70. 1-05	sleeve	2	32	YK70. 1-16	wheel axis	2
9	GB70. 1-20 00T	HEXAGON SOCKET HEAD SCREW	1	33	GB5786-86	Bolt M12×70 (8. 8)	2

		M12*30 (10.9)						
10	GB5786-86	Bolt M12×30 (8.8)	3		34	GB6710-86	Nylon locking nut M12	2
11	GB1152-79	grease nipple ONB6 M6×1	2		35	GB6710-86	HEXagon NUT M14	2
12	GB97.1-85	washer 12.5×3.2	2		36	GB860-87	Washer 14	4
13	YK70.1-06	Hanging plate	1		37	GB97.1-85	Flat washer 8	9
14	YK50.1-07 -00	rear frame CP YK0850	1		38	GB1192-82(400-12)	Tire 5.70/5.00-8	2
	YK70.1-07 -00	rear frame CP YK0870	1		39	GB5786-86	Bolt M8×16 (8.8)	9
15	YK70.1-08	Steel plate	2		40	YK70.1-17	hub	2
16		square neck bolt M8×15 (8.8)	4		41	GB5786-86	Bolt M12×55 (8.8)	2
17	GB6710-86	Nut M8 (8.8)	4		42		cover	2
18	YK70.1-09	ejector rod CP	1		43		cover	2
19	GB97.1-85	Washer 10	1		44		bush	2
20	GB91-87	Split pin 3.2×16	1		45	GB297-84	Bearing 6205-2RS	4
21	YK70.1-10	extension spring A	2		46	GB6710-86	HEX NUT M20 (8.8)	2
22	GB93-87	spring washer 22	2		47		caster; 100	1
24	YK70.1-11 -00	Connectting arm CP: R	1		49	YK70.1-18	Topper Connecting pin	1
25	YK70.1-12 -00	Connecting arm CP: L	1					1

YK0850 YK0870 ROUND BALER


frame assy



No.	Drawing No.	name	quantity
51	DIN11024-1973	battle pin; 9	1
55	YK70. 1-21	warning sticker	1
56	YK70. 1-22	warning sticker	1
57	YK70. 11-19	warning sticker	1
58	YK70. 1-23	Sticker: factory name	1
60	GB6710-86	hexagon nut M10 (8.8)	4
61	GB93-87	spring washer 10	5
62	GB5786-86	Bolt M8×25 (8.8)	2
63	GB6710-86	hexagon nut M12	8
64	GB93-87	srping washer 12	8
65	YK70. 1-19-00	Bracket CP	1
66	GB5786-86	Hexagon bolt M10×25 (8.8)	1
67	GB5786-86	Hexagon bolt M12×50 (8.8)	2
68	GB93-87	Spring Washer 14	2
69	YK70. 1-24	sticker: RPM	1
	YK70. 1-20-00	cover shell bracket: CP	6
	GB/T12-1988	square neck bolt : M8×20 (8.8)	10
	GB6710-86	nut: M8 (8.8)	12

	GB93-87	spring washer: 8	12
	GB1192-82(400-12)	Inner tire; 16×6.50-8	2

YK0850 YK0870 round baler
gearbox assy




No.	Drawing No.	name	quantity	No.	Drawing No.	name	quantity
1	YK70.2-01	input shaft	1	26		bush	2
2	YK70.2-02	gear box	1	27	YK70.2-11	Shaft sleeve PIC; 35	1
3	YK70.2-03	gear case	1	28	GB893.1-86	Retaining washer 62	1
4	YK70.2-04	bevel gear 12T	1	29	GB1152×79	Grease nipple ONA M6X1	1
5	YK70.2-05	bevel gear 22T	1	33	YK70.2-09	Steel plate; 4.5	1
6	YK70.2-10	shim	2	34	GB297-84	Bearing 6007-2RS	1

7	GB1096-79	Flat key 7×7×25 (A 型)	2		35	GB297-84	Bearing 6206	1
8	YK70. 2-06	shaft	1		36	GB93-87	Spring washer 10	18
9	GB297-84	Bearing 6305-2RS	1		37	GB6710-86	nut M10 (8.8)	12
10	GB297-84	Bearing 6305	1					
11	GB297-84	Bearing 6304-2RS	1					
12	JB2600-80	oil seal D40×62×10	1					
13	JB2600-80	oil seal D25×45×7	1					
14	JB2600-80	oil seal D25×52×8	1					
15	GB894. 1-86	shaft retaining ring 25	1					
16	GB5786-86	Bolt M10X25 (8.8)	6					
17	GB5786-86	Bolt M10×35 (8.8)	4					
18	GB5786-86	Bolt M10×50 (8.8)	8					
19		Screw plug: M10	1					
20		Screw Plug washer: 10	1					
21	YK70. 2-10	plug	1					
22	YK70. 2-07	Sprocket CP;16T	1					
23	YK70. 2-08	flange	1					
24	GB5786-2000	shear bolt ; M6×30	11					
25	GB6710-86	Nut M6	11					

YK0850 round baler
roller assy

滚筒 AS




No.	Drawing No.	name	quantity
1	YK70. 3-01	sprocket; 22T	11
		shim; 25.5X0.6	10
2	YK70. 3-02	sprocket; 22T	1
3	YK70. 3-03	bush; A	9
4	YK70. 3-04	bush; B	1
5	YK70. 3-05-00	Roller CP;1	5
6	YK70. 3-06-00	Roller CP;2	1
7	YK70. 3-07-00	Roller CP;3	3
8	YK70. 3-08-00	Roller CP;4	1
9	YK70. 3-09-00	flange CP	10
10	YK70. 3-10-00	flange CP	10
11	GB7810-87	Spherical ball bearings CS205-2RS	20
12	GB/T 7813-1998	bearing seat	18
13	YK70. 3-11	cover plate	1
14	GB5786-86	Bolt M8×20 (8.8)	48
15	GB5786-86	boltM8×25 (8.8)	3
16	GB5786-86	boltM8×30 (8.8)	9
17	GB894. 1-86	shaft retaining ring 25	10

18	YK70.3-12	cover plate	1
19		rivet: 6×6	18
20		rivet: 6×10 rivet	2
21	GB6710-86	Nut M12	9
22	GB860-87	washer: Φ13×4.5	9
23	GB93-87	spring washer 12	9
25	YK70.3-13	bush	1

YK0870 mini round baler


roller assy



No.	Drawing No.	name	quantity	No.	Drawing No.	name	quantity
1	YK70.3-01	sprocket; 22T	13	22			
2	YK70.3-02	sprocket; 22T	1	23			
3	YK70.3-03	bush; A	11	24			
4	YK70.3-04	bush; B	1	25	YK70.3-13	bush	1
5	YK70.3-05-00	Roller CP;1	7				
6	YK70.3-06-00	Roller CP;2	2				
7	YK70.3-07-00	Roller CP; 3	2				
8	YK70.0-08-00	Roller CP;4	1				

9	YK70. 3-09-00	Flange CP	12					
10	YK70. 3-10-00	Flange CP	12					
11	GB7810-87	Spherical ball bearings CS205	24					
12	GB/T 7813-1998	bearing seat	22					
13	YK70. 3-11	cover plate	1					
14	GB5786-86	Bolt M8×20 (8.8)	57					
15	GB5786-86	Bolt M8×25 (8.8)	3					
16	GB5786-86	Bolt M8×30 (8.8)	12					
17	GB894.1	shaft retaining ring 25	12					
18	YK70. 3-12	cover plate	1					
19	GB6710-86	Nut M12	11					
20	GB97.1-85	flat washer 13×4.5	11					
21	GB97-87	spring washer 12	11					


YK0850.YK0870 圆捆机
滚筒链轮压紧 chain transmission assy



No.	Drawing No.	name	quantity
1	YK70. 4-01-00	pulley bracket CP;A	1
2	YK70. 4-02-00	pulley bracketCP;B	1
3	YK70. 4-03	tension plate	1
4	GB5786-86	Spring washer, bolt M8×25 (8.8)	2
5	GB860-87	Washer 8	2
6		Shaft 650	1
7		steel wire retaining ring; S	1
9	YK70. 4-04	Pulley CP	6

12		shaft retaining ring 17	5
13	YK50. 4-05	pull rod YK0850	2
	YK70. 4-05	pull rod YK0870	2
14	GB97.1-85	flat washer 10	2
15	GB	nylon locking nut M10	2
16	GB91-87	split pin 3.2×16	2
17	GB860-87	Washer 21×1.5	2
18	GB91-87	split pin 3.2×32	2
19	YK70. 4-06	spring	2
20	YK70. 4-07	spring seat	2
21	GB/T1243-2006	Chain 50SH-144-1 YK0850	1
	GB/T1243-2006	Chain 50SH-168-1 YK0870	1
22	GB/T1243-2006	Chain 50SH-126-1 YK0850	1
	GB/T1243-2006	Chain 50SH-146-1 YK0870	1
23	GB/T1243-2006	Chain 10A-42×1	1
24	GB/T1243-2006	chain joint 50SH	3

YK0850.YK0870 Round baler
picking-up assy




No.	Drawing No.	name	quan tity	No.	Drawing No.	name	quan tity
1	YK70. 5-01-00	picking-up Assy bracket CP	1	26	GB860-87	Washer 35×1.2	12

2	YK70.5-02-00	picking-up Assy bracket CP;R	1		27	YK70.5-13	Spring teeth assy CP	1
3	YK70.5-03-00	picking-up Assy bracket CP;L	1		28		Side cover shield (Optional)CP;R	1
4	GB5786-86	bolt M8×20 (8.8)	5		29		Side cover shield (optional)CP;L	1
5	YK70.5-18	cover: 9	5		30		Plum nut(optional) M8	4
6	YK70.5-04	Steel plate	1		31		B Pin 19×3	2
7	YK70.5-05	axis	1		32	GB860-87	washer	3
8	GB91-87	Split pin 5×36	1		33		D Shackle: 6-1/4	2
9	GB93-87	Spring washer 14	1		34		Rectangle welding chain 4×23P×32	1
10	GB5786-86	Bolt M8×25 (8.8)	3		35	YK70.5-15	axis	1
11	YK70.5-06	Protecting spring teeth	11		36	GB5786-86	Bolt M10×70 (10.9)	2
12	GB5786-86	bolt M8×20 (8.8)	22		37	GB/T3098.9-2002	Nylon locking nut M10	2
13	RBT08020	HEXAGON SOCKET flat HEAD SCREW : M8×20(10.9)	22		38	YK70.5-16	steel plate	1
14	YK70.5-07-00	Teeth rod CP	4		39	GB5786-86	Bolt M8×12 (8.8)	2
15	YK70.5-08	spring	24		40	YK70.5-17	cover	1
16	GB5786-86	bolt M8×55 (8.8)	24		41	GB860-87	Washer 10	2
17	GB/T3098.9-2002	Nylon locking nut M8	24		42	GB860-87	Washer 43×3.5	8
18	GB7810-87	Bearing 6201-2RS(35 ×12×10)	4		43	GB93-87	Spring washer 8	28

19	GB894.1-86	Shaft retaining ring 12	4		44	GB860-87	Washer 8	24
20	YK70.5-09	Leading track	1		45	GB6710-86	Nut M8 (8.8)	4
21	YK70.5-10	nylon sleeve	8		46	GB93-87	spring washer 10	2
22	YK70.5-11-00	Racket CP	2					
23	GB/T 70.3-2008	HEX SOCKET Countersunk head screw M8×20 (10. 9)	4					
24	YK70.5-12	shim	2					
25	GB91-87	split pin 5×56	8					

YK0850. YK0870 Round baler
Picking-up sprocket Assy




No	Drawing No.	name	qua nti ty	No.	Drawing No.	name	quantity
1	YK70.6-01-00	Sprocket cover CP	1	26	GB860-87	washer; 12	1

2	YK70.6-02	Dust cover	1	27	GB/T1243-2006	chain10A-59×1	1
3		Plum-shaped bolt M8×14	3	28	GB/T 7813-1998	Bearing seat PF206	2
4	GB7810-87	bearing CS204-2RS	1	29	GB7810-87	Bearing CS206-2RS	1
5	YK70.6-18	Bearing cover	1	30	GB5786-86	Bolt M10×20 (8.8)	3
6		Bearing seat PFL204	1	31	GB5786-86	Bolt M12×45 (8.8)	1
7	YK70.6-03	Tension disc	1	32	YK70.6-12	Up-down Rod CP	1
8	GB5786-86	Bolt M10×65 (8.8)	4	33	YK70.6-13	Brake plate	1
9	YK70.6-04	彈簧 spring	4	34	YK50.6-14	Pull rod RXYK0850	1
10	GB97.1-85	slotted nut M20×1.5 GB9457	1		YK70.6-14	Pull rod RXYKB0870	1
11	GB5786-86	Bolt M8×25 (8.8)	2	35	YK70.6-15	fork; 10×40	1
12	GB91-87	Split pin 4×25	1	36	GB882-86	pin; 10×40	1
13	GB860-87	washer; 20	1	37	GB91-87	Split pin 3.2×16	1
14	GB/T 7813-1998	Bearing seat PFL205	2	38	GB5786-86	Bolt M10×30(8.8)	1
15	GB7810-87	Spherical ball bearings CS205-2RS	1	39	GB/T3098.9-2002	Nylon locking nut M10	1
16	GB5786-86	Bolt M10X20 (8.8)	2	40	JB/ZQ 4340-2006	Disc washer 10	2
17	YK70.6-05	Friction disc	1	41	YK70.6-10	Handle sleeve; 12	1
18	YK70.6-06	bush	1	42	YK70.6-17	Extension spring: H	2
19	YK70.6-07	Friction washer	2	43		Adjustable screw ; M10	2
20	YK70.6-08	sprocket; RS50×18T	1	44	GB6710-86	Nut M10 (8.8)	6
21	YK70.6-09	sprocket; RS50×32T	1	45	GB97.1-85	Flat washer 10	1

22	YK70.4-04	Pulley CP	1	46	Elbow bend (optional) CP;R	1
23	GB/T13680-19 92	Square nut	1	47	Elbow bend (optional) CP:L	1
24	YK70.6-11	bush	1	48	Shield (optional)	1
25	GB5786-86	Bolt M10x40 (8.8)	1	49	9 Pin(optional) 8×1.6	2

YK0850. YK0870 Round baler
Picking-up sprocket Assy




No.	Drawing No.	name	quantity
50		Square neck boltM8×15 (optional)	4
51	GB6710-86	Nut(optional) M8	4
52	GB860-87	Washer 21×1.5	1
53	GB860-87	washer ; 10	4
54		Joint 10A	1
56		Coupling part 10A	1
57	GB93-87	Spring washer 10	2
58	GB93-87	Spring washer12	2
59	GB93-87	Spring washer 10	3

	GB6710-86	nut: M12	1
	GB860-87	washer: 25×35×1.2	1
		shim: 25.5×0.6	1
	GB91-87	Split pin: 3.2×3.2	1
	GB860-87	washer ; 13×4.5	1

YK0850. YK0870 Round baler


Twine binding bracket Assy



No.	Drawing No.	name	quantity	No.	Drawing No.	name	quantity
1	YK70.7-01-00	Twine clip plate CP; 1	1	33	YK70.7-11	Twine hook	1
2	GB5786-86	Bolt M8×20 (8.8)	6	36	GB/T3098.9-2002	Nylon locking nut M6	2
4	YK70.7-02-00	Pressure plate CP	1	37	GB97.1-85	Flat washer 6	2
5	YK70.7-03	Tension plate CP	1	40	YK70.7-12	Adjustable lever CP	1
6	GB97.1-85	Washer 12	2	41	YK70.7-13	Fork 8×32	1
7	GB91-87	Split pin 3.2×16	2	42	YK70.7-14	Pin 8×30	1

8	GB6710-86		6	43	GB6710-86	nutM8	1
9	GB6710-86	Nut M8	1	44	GB97.1-85	Washer 8	2
10	GB5786-86	Bolt M8 × 20	4	45	GB91-87	Split pin 3.2 × 16	1
11	YK70.7-04	cam	1	46	YK70.7-15	Fork rod CP	1
14	YK70.7-05	Retaining ring 25	1	47	GB97.1-85	Flat washer 12	1
17	GB/T290-98	Single-direction Rolling bearing HK2520 (25 × 32 × 20)	1	48	GB91-87	Split pin 3.2 × 16	1
18	GB297-84	bearing 6005-2RS (25X47X12)	2	49	YK70.7-16	Spring rod CP	1
19	GB484.1-86	Shaft spring retaining ring 25	1	50	YK70.7-17	pressure pad	1
23	GB/T 80-2000	Hexagon socket set screw M8 × 20	1	51	GB5786-86	Bolt M6 × 20	2
24	YK50.7-06	Twine pulley YK0850	1	52	GB6710-86	Nut M6	2
	YK70.7-06	Twine pulley YK0870	1	53	GB97.1-85	Flat washer 6	2
25	YK70.7-07	Pull spring	2	54	GB97.1-85	Flat washer 8	1
26	YK70.7-08	slot plate	1	55	GB91-87	Split pin 3.2 × 16	1
27	YK70.7-09	compression spring	2	56	YK70.7-18	Twine ring	1
28	GB5786-86	boltM6 × 50	2				
29	YK70.7-10	pulleyCP	2				
30	GB5786-86	boltM8 × 30 (8.8)	2				
31	GB97.1-85	Flat washer 8	5				
32	GB6710-86	nut M8	2				

YK0850. YK0870 Round baler
Twine binding support Assy




No.	Drawing No.	name	quantity	No.	Drawing No.	name	quantity
1	TK70. 8-01-00	Support rod CP;2	1	26	GB6710-86	nut M8 (8.8)	2
2	GB5786-86	Bolt M8×20 (8.8)	2	27	GB97. 1-85	Flat washer 17×1.5	1
3	GB6710-86	Nut M8	2	28	GB879-86	Spring cylindrical pin 5×32	1
4	GB5786-86	bolt M8×20 (8.8)	2	29	GB97. 1-85	Flat washer 8	4
5	YK70. 8-02-00	Rubber racket CP	1	30	GB5786-86	bolt M8×20 (8.8)	4
6	YK70. 8-03	rubber washer	1	31	GB1152×79	grease nipple ONA6 M6×1	1
7	YK70. 8-04	bush	1	32	GB1152×79	grease nipple ONA6 M6×1	1
8	YK70. 8-05	sleeve	1		GB879-86	Spring cylindrical	1

				33		pin 6×36	
9	GB5786-86	bolt M8×80 (8.8)	1	34	YK70.8-15	Extension spring; H	1
10	GB6710-86	nut M8 (8.8)	1	35	YK70.8-16	Extension spring; H	1
11	GB93-87	Spring washer 8	2	36	YK70.8-07	screw: M8	1
12	YK70.8-06-00	Swing arm CP	1	37	GB6710-86	nut M8 (8.8)	2
13	GB119-86	Cylindrical pin	1	38	YK70.8-17-00	Slot pressure pad	1
14	GB1152×79	Grease nipple AM6×1	2	39	YK70.8-18	compression spring ; A	1
15	GB97.1-85	Flat washer 6	2	40	YK70.7-10	pulleyCP	2
16	GB879-86	Spring cylindrical pin 6×36	1	41	GB97.1-85	Flat washer 8	1
17	GB894.1-86	Shaft spring retaining ring 15	1	42		Opening retaining ring 5	1
18	GB97.1-85	washer 17×1.5	1	43	YK70.8-19-00	Knife bracket	1
19	YK70.8-08-00	Support rod CP;1	1	44	YK70.8-14	knife	1
20	YK70.8-09-00	bracket	1	45	GB/T3098.9-2002	Nylon locking nut M8	1
21	YK70.8-10-00	Support rod	1	46	GB/T 5280-2002	Self-tapping screw M3×6	1
22	YK70.8-11	Nylon sleeve	5	47	GB5786-86	bolt M8×20 (8.8)	1
23	YK70.8-12	Torsion spring	1	48	GB97.1-85	Washer 8	1
24	YK70.8-13-00	Pulley bracket CP:3	1	49	YK70.8-20	Rubber washer	1
25	JB/ZQ4340-200 6	Spring disc washer	3	50	YK70.8-21	Nylon washer	1

YK0850. YK0870 Round baler

Twine binding support Assy




No.	Drawing No.	name	quantity
51	GB 819-1985	Cross Countersunk head screw M8×35 (10.9)	2
52	GB/T3098.9-2002	Nylon locking nut M8	3
53	GB/T3098.9-2002	Nylon locking nut M6	1
54	YK70.8-22	plate	1
55	YK50.8-22	Plate YK0850	1
56	GB5786-86	bolt M8X16 (8.8) YK0850	1
57	GB6710-86	nut M8(8.8) YK0850	1
58	GB97.1-85	Flat washer 16	1
61	YK70.8-23	buzzer switch racket	1
62	GB5786-86	bolt M8×20 (8.8)	2
63		switch	1
64	GBT 818-2000	Cross crew M4×30	2
65	GB6710-86	nut M4 (8.8)	2
66	GB97.1-85	Flat washer: 4	2
	GB93-87	Spring washer :4	2
			1

		Twine clamp	1
		Plastic clip : 2.5×100	1

YK0850. YK0870 Round baler
reducer assy

減速器 AS




No.	Drawing No.	name	quantity
1	YK70. 9-01	worm	1
2	GBT 9877-2008	Lip seal FB15×35×8	1
3	GB893. 1-86	Holes Circlips 35	2
4	GB297-84	Bearing 6202	2
5	YK70. 9-02	Sealing cover KRCA3507	1
6	YK7309-03	Wormgear	1
7	YK70. 8-04	Worm-wheel shaft	1
8	GB297-84	Bearing 6203	1
9	GB297-84	Ball bearing 6005-2RS	1
10	D30507	Oil seal FB30×50×7	1
11	GB893. 1-86	Retaining ring 47	1
12	GB1096-79	Flat key 5×5×25 (A 型)	1
13	YK70. 9-05	cover	1
14	YK70. 9-06	case	1

15	GB5786-86	Bolt M6×16 (8.8)	4
16	YK70.9-07	Oil port bolt	1
17	YK70.9-08	Rubber washer	1
18	GB3452.1-82	O-rubber seal G-60	1
19	GB93-87	Spring washer 6	4

YK0850. YK0870 Round baler

Topper cover rod


机架上连杆 AS



No.	Drawing No.	name	quan tity	No.	Drawing No.	name	quant ity
1	YK70.10-01	Indicator board	1	22	GB5786-86	bolt M8×75 (8.8)	2
2	YK70.10-02	Fork plate	1	23	GB/T3098.9-2002	Nylon locking nut M8	2
3	YK70.10-03-00	Connecting plate	2	24		B-pin 8×1.6	1
4	YK70.10-04	Topper cover	2	25	YK70.7-13	Connecting yoke; 8×32	2
5	YK50.10-05	extension spring YK0850	2	26	YK70.7-14	Connecting pin; 8×32	2
	YK70.10-05	extension spring YK0870	2	27	GB91-87	Split pin 3.2×16	2

6	YK50.10-06-00	Indicator rod YK0850	1		29	YK70.10-12	Extension Spring ; 2.3×1 8×6 8	2
	YK70.10-06-00	Indicator rod YK0870	1		30	YK70.10-13	Extension Spring ; H	1
7	YK50.10-07	Pull rod YK0850	1		31	YK70.10-14	Pull rod; M1 0	1
	YK70.10-07	Pull rod YK0870	1		32	GB6710-86	nut M10 (8)	4
8	YK50.10-08-00	Connecting rod YK0850	2		33	GB93-87	washer 10	2
	YK70.10-08-00	Connecting rod YK0870	2		34		sticker	1
9	GB6710-86	nut M8	1		35	YK70.10-15	Adjusting shimΦ10.5×0.27	-
10	YK70.10-09	Shaft sleeve	2		36	GB5786-86	Bolt M10×35 (8.8)	2
11	GB93-87	Spring washer 10	2					
12	GB6710-86	nut 10	2					
13	YK70.10-10	hook ; R	1					
14	YK70.10-11	hook: L	1					
15	GB5786-86	Bolt M10×35 (8.8)	2					
16	GB5786-86	bolt M10×20 (8.8)	1					
17	GB6710-86	nutM8 (8)	4					
18	GB91-87	Split pin3.2×32	3					
19	GB97.1-85	平垫21×1.5 washer	3					
20	GB5786-86	Bolt M8×25 (8.8)	2					
21	GB97.1-85	washer 8	4					

YK0850. YK0870 Round baler
Cover




No.	Drawing No.	name	quantity	No.	Drawing No.	name	quantity
1	YK50.11-01-00	Front cover housing CP;L YK0850	1	26	GB5786-86	bolt M8×20 (8.8)	4
	YK70.11-01-00	Front cover housing CP;L YK0870	1	27	GB6710-86	nut M8	4
2	YK50.11-02-00	Front cover housing CP;R YK0850	1	28	GB5786-86	bolt M8×20 (8.8)	4
	YK70.11-02-00	Front cover housing CP;R YK0870	1	29	GB97.1-85	Flat washer 8	4
3	YK50.11-03-00	rear cover housing CP;L YK0850	1	30	YK50.11-12-00	Cover housing; CP YK0850	1
	YK70.11-03-00	Rear cover housing CP;L YK0870	1		YK70.11-12-00	Cover housing; CP YK0870	1
4	YK50.11-04-00	rear cover housing CP;R YK0850	1	31	GB5786-86	bolt M8×20 (8.8)	8
	YK70.11-04-00	Rear cover housing CP; R YK0870	1	32	GB97.1-85	Flat washer8	8

5	YK50.11-05-00	Cover housing CP;L YK0850	1		35	YK70.11-13	sticker	1
6	YK50.11-06-00	Cover housing CP; YK0850	1		36	YK70.11-14	sticker	1
7	YK70.11-07	Star handle : 50	8		37	YK70.11-15	sticker	1
8	JB/ZQ4340-200 6	Disc spring washer	32		38 38	YK70.11-16	Warning sticker	2
9	GB97.1-85	Flat washer 8	16		39	YK70.11-17	sticker	1
10	GB879-86	Spring cylindrical pin 4×16	8		40	YK70.11-18	Warning sticker	1
11	GB5786-86	Bolt M8×16 (8.8)	4		41	YK70.11-19	Warning sticker	2
12	YK70.11-08	reflector; R-80CI	2		42	YK50.11-20	Warning sticker ; 850L YK0850	1
13	GB6710-86	Nut M5	2			YK70.11-20	Warning sticker ; 870L YK0870	1
20	YK70.11-09	magnet	1		43	YK50.11-21	Warning sticker ; 850R YK0850	1
21	YK50.11-10-00	gate; CP YK0850	1			YK70.11-21	Warning sticker ; 870R YK0870	1
	YK70.11-10-00	gate; CP YK0870	1		44	YK70.11-22	Name of manufacturer	3
22	GBT 818-2000	cross head screw M6×12	2		45	YK70.11-23	sticker	1
23	GB97.1-85	Washer 6	2		46	YK70.11-24	sticker	1
24	GB6710-86	Nut M6	2			GB93-87	Spring washer :5	2
25	YK50.11-11-00	Cover box CP YK0850	1					
	YK70.11-11-00	Cover box CP YK0870	1					

YK0850. YK0870 Round baler

Hydraulic pump assy



No.	Drawing No.	name	quantity	No.	Drawing No.	name	quantity
1	YK70.12-04-00	Hydraulic pump station ; 95R	1	27	YK70.12-08	Nylon rope 6×3500	1
2	GB97.1-85	Washer 10	2	30	YK70.12-09-00	Cylinder CSH35×210×375	1
3	GB93-87	Spring washer 10	2	31		Conical female and male outside coupler G1/4×R1/4	1
4	GB5786-86	boltM10×25 (8,8)	2	32		90° conical male inside coupler G1/4×R1/4	1
5	YK70.12-01	Check sleeve	1	33	GB/T12223-2005	Control valve Rc1/4	1
6	GB1096-79	Flat key5×5×20 (B type)	1	34		male coupler R1/4	1
7	YK70.12-02	Small pulley 9T	1	35	GB/T8100-1987	Single-direction throttle valve Rc1/4	1
8	GB97.1-85	Washer 6	1	36	GB/T1277-99	Rubber hose G1 / 4×1000	2
9	GB93-87	Spring washer 6	1	37	YK70.12-10	bush; Φ35	2

10	GB5786-86	bolt M6×16 (8,8)	1	38		Plastic hoop 2.5×100	3
11	YK70.12-03	Large pulley 43T	1	39		Plastic hoop 4.8×251	2
12	GB6710-86	nutM12 (8.8)	1	43		90° conical male inside coupler G1/4×R1/4	4
13	GB97.1-85	washer: 13×4.5	1	44		90° female coupler G1/4	2
14	GB93-87	Spring washer 12	1	45	GB5786-86	bolt M16×80 (8.8)	2
15	GB/T1243-200 6	chain08A-56×1	1	46	GB/T3098.9-200 2	Nylon locking nut M6	2
16	GB/T1243-200 6	Chain joint 08A	1				
18	YK70.12-05	Conneting board	1				
19	GB5786-86	Bolt M8×16 (8.8)	1				
20	YK70.12-06	Connecting rod	1				
21	GB97.1-85	Washer 8	2				
22	GB91-87	Split pin 3.2×16	1				
23		B-pin 8×1.6	1				
24	YK70.12-07	plate	1				
25'	GB5786-86	bolt M8×25 (8.8)	1				
26	GB/T3098.9-2 002	Nylon locking nut M8	1				