


ECO 17 2007




GEO Italy S.R.L.




Pos	Code	Description	NOTE	Q.
3	GB/T91	R pin		1
4	24PMF.03.112	Joint connect		1
5	GS6170-86	Nut M6		1
6	24PMF.03.141	Locking line		1
7	24PMF.03.101	Pin shaft		1
8	24PMF.03.011	Release handle		1
9	GS889-86-M6	Locking nut M6		2
10	GS97.1-85/6	Plain washer 6		2
11	GS5783-86-M6x16	Bolt M6x16		2
12	GS5783-86-M8x20	Bolt M8x20		10
13	GS97.1-85/8	Plain washer 8		14
14	GB889-86-M8	Locking nut M8		4
15	24PMF.03.015	Roller case		1
16	GS5783-86-M10x20	Bolt M10x20		2
17	GS97.1-85/10	Plain washer 10		4
18	GS889-86-M10	Locking nut M10		2
19	24PMF.03.020	Foot treadle		6
20	GB93-87-8	Spring lock washer 8		6
21	24PMF.03.016	Gearbox cover		1
22	24PMF.03.018A	inner drive shaft		1
23	24PMF.03.109-1	Spring for drive shaft		1
24	24PMF.03.017A	Outer drive shaft		1
25	24PMF.03.108	Clutch outer claw		1
26	24PMF.03.107	Clutch inner claw		1
27	GB6170-86-M8	Nut M8		4

Pos	Code	Description	NOTE	Q.
28	GB5783-86/M8x50	Bolt M8x50		2
29	Q-IAKY01-91	Worm reduction gear		1
30	24PMF.03.111	Belt pulley		1
31	24PMF.03.105	BELT PULLEY		23
32	GBT1171-96	Belt A991		1
33	GB889-86-M12x1.5	Locking nut M12x1.5		13
34	GB97.1-85/14	Plain washer 14		26
35	GB5782-86/M14x135	Bolt M14x135		13



Pos	Code	Description	NOTE	Q.
1	24PMF.02.012	Support		1
2	GB5783-86/M12x60	Bolt M12X60		4
3	GB97.1-85/12	Plain washer 12		24
4	GB889-86-M12	Locking nut M12		16
5	24PMF.02.011	Supporting shaft tor flywheel		1
6	GB5786-86/M14X1.5X50	Bolt M14x1.5x50		4
7	GB93-87-14	Spring lock washer 14		12
8	GB97.1-85/14	Plain washer 14		12
9	24PMF.02.138	Bearing Z-209		2
10	GB5783-86/M8x50	Bolt M8x50		6
11	GB93-87-8	Spring lock washer 8		6
12	24PMF.02.105	Small belt pulley hub		1
13	24PMF.02.104	Small belt pulley		1
14	GB1171-74	Belt		1
15	24PMF.02.016	Bearing seat shim		1
16	24PMF.02.017	Bearing seat shim		1
17	24PMF.02.101A	Drive shaft		1
18	24PMF.02.139	Bearing Z-207		2
19	GB5786-86/M14X1.5X30	Bolt M14x1.5x30		4
20	GB5783-86/M10x50	Bolt M10x50		6
21	GB93-87-10	Spring lock washer 10		14
22	24PMF.02.102	Big belt pulley hub		1
23	24PMF.02.103	Big belt pulley		1
24	GB1096-79/A10X50	Key C10x50		1
25	24PMF.02.013	Protective cover tor belt pulley		1

Pos	Code	Description	NOTE	Q.
26	GB5783-86/M10x30	Bolt M10X30		2
27	GB96-85-10	Plain washer 10		4
28	GB889-86-M10	Locking nut M10		2
29	GB5783-86/M6x12	Bolt m6x12		2
30	GB93-87-6	Spring lock washer 6		4
31	GB97.1-85/6	Plain washer 6		4
32	24PMF.02.118	Cover board		1
33	24PMF.02.112	Front supporting board		1
34	24PMF.02.110	Left supporting board		1
35	GB5783-86/M12x30	Bolt M12x30		8
36	24PMF.02.109	Right supporting board		1
37	24PMF.02.111	Rear supporting board		1
38	24PMF.02.113	Lifting board		2
39	GB96-85-12	Plain washer 12		4
40	GB5783-86/M12x40	Bolt M12x40		4
41	24PMF.01.017	Connecting plate		1
42	GB6170-86-M10	Nut M10		8
43	GS97.1-85/10	Plain washer 10		8
44	24PMF.02.106	Flywheel		1
45	24PMF.02.107	Chipper bed blade (JF)		2
46	GB5783-86/M10x35	Bolt M10X35		8



Pos	Code	Description	NOTE	Q.
1	24PMF.01.014	Protective cover weldment		1
2	24PMF.01.012	Discharge pipe		1
3	24PMF.01.013	Tightening handle		1
4	24PMF.01.015	Little around plate		1
5	GB97.1-85/8	Plain washer 8		4
6	GB93-87-8	Spring lock washer 8		4
7	GB5783-86/M8x16	Bolt M8X16		4
8	24PMF.01.016	Protective cover weldment		1
9	GB889-86-M10	Locking nut M10		17
10	24PMF.01.101	Chipper blade		1
11	ISO-10642	Screw M10x35		3
12	GB5783-86/M10x30	Bolt M10X30		4
13	GB7810-87-L204	Bearing L204		2
14	GB97.1-85/10	Plain washer 10		14
15	24PMF.01.019	Roller weldment		1
16	24PMF.01.011	Supporting plate weldment		1
17	24PMF.01.132	Pin shaft		2
18	24PMF.01.131	Connecting plate		2
19	24PMF.01.024	Brake handle		1
20	24PMF.01.026	Baffle board		1
21	24PMF.01.018	Charging weldment		1
22	24PMF.01.117	Connecting plate		4
23	24PMF.01.102	Spring lug		2
24	GB5783-86/M10x35	Bolt M10X35		2
25	24PMF.01.103	Tension spring		2

Machine: ECO 17 2007

Assembly: ECO17Oldold_parte 3



Pos	Code	Description	NOTE	Q.
26	GB5783-86/M6x12	Bolt m6x12		2
27	GB93-87-6	Spring lock washer 6		2
28	GB97.1-85/6	Plain washer 6		2
29	24PMF.01.017	Connecting plate		1