







VBM180, 200, 220, 25

0 with 170mm rear

No.	Code	Description	QTY
1	GB/T 70.3	Bolt M12*35	10
2	GB/T 5782	Nut M16	7
3	VBMD220HL.48	connection plate for rear roller R	1
4	GB/T 5782	LockNut	10
5	GB/T 97.1	Plain washer 16	10
6	VBM220BL.50	bearing seat of rear roller	2
7	GB/T 5783	Bolt M16*45	4
8	UC208-Z	Bearing UC208-Z	2
9	VBM250BL.43	scriper weldement 250	1
9	VBM 220BL.43	scriper weldement 220	1
9	VBM 200BL.43	scriper weldement 200	1
9	VBM180 BL.43	scriper weldement 180	1
10	VBM250HL.44	roller weldment 250 (170mm)	1
10	VBM220HL.44	roller weldment 220 (170mm)	1
10	VBM200HL.44	roller weldment 200 (170mm)	1
10	VBM180HL.44	roller weldment 180 (170mm)	1
11	VBMD220HL.42	connection plate for rear roller L	1
12	JB/T 7940.1	grease nipple M10*1	10
13	GB/T 97.1	plain washer 10	39
14	GB/T 5783	bolt M10*25	4
15	VBMD220.39	belt cover weldment	1
16	VBMD220.29	rear open bonnet	1
17	GB/T 5783	Bolt M12*35	2
18	GB/T 97.1	Plain washer 12	20
19	GB/T 6170	Nut M12	3
20	GB/T 5783	Bolt M12*60	4
20	VBMD250.28	rear open bonnet for 250	1
20	VBMD220.28	rear open bonnet for 220	1
20	VBMD200.28	rear open bonnet for 200	1
20	VBMD180.28	rear open bonnet for 220	1
22	GB/T 5783	Bolt M14*40	10
23	GB/T 5783	Bolt M8*16	4
24	VBMD220.38	Plate 01	1
25	VBMD250.26	Mower deck weldment 250	1
25	VBMD220.26	Mower deck weldment 220	1
25	VBMD200.26	Mower deck weldment 200	1
25	VBMD180.26	Mower deck weldment 180	1
26	GB 13871-94	Oil seal 55*80*8	2
27	GB/T 893.1	circlip 80	2

28	VBMD220.34	outside bearing seat	2
29	GB/T 893.1	circlip 88	2
30	GB/T 281	bearing 88	2
31	VBMD220.33	cover weldment	1
32	GB/T 5783	Bolt M12*45	5
33	GB/T 93	spring washer 12	15
34	GB/T 3541	Bolt M23*55	8
35	GB/T 93	circlip 10	8
36	VBMD220.35	cover weldment for rotor	2
37	VBMD220.27	anti-shock weldment	1
38	GB/T 5783	Bolt M10*30	3
39	GB/T 5782	Nut M10	3
40	VBMD220.31	skid 01	1
41	EFGC175.24C	Wide fender 95	1
42	GB/T 91	cotter 3.2*40	2
43	VBMD250.30	bar for fender 250	1
43	VBMD220.30	bar for fender 220	1
43	VBMD200.30	bar for fender 200	1
43	VBMD180.30	bar for fender 180	1
44	EFGC175.24B	wide fender 55	1
45	EFGC175.24A	wide fender 95	19
46	EFGC175.24D	wide fender 95	1
47	GB/T 11544-97	V-belt	4
48	EFGC175.31	big pulley	1
49	JBT7934 Z3	power lock 33*80	1
50		gearbox	1
51	VBMD220.40	gearbox mounting plate	1
52	GB/T 5783	Bolt M12*30	4
53	AGF220.41	bottom belt cover	1
54	GB13871-94	oil seal 55*90*8	1
55	GB/T 5782	lock nut M14	4
56	GB/T 97.1	plain washer 14	10
57	GB/T 5783	bolt M14*45	4
58	GB/T 96.1	big washer 14	4
59	EFGC175.27	small belt pulley	1
60	JB/T7934 Z3	power lock 40*80	1
61	VBMD220.37	bushing	1
62	GB/T 6170	Nut M14	3
63	GB/T 5783	Bolt M14*90	2

64	VBMD220.36	Cover 02	1
65	VBMD220.32	skid 02	1
66	200.56.011	Pin weldment	2
67	VBMD220.16	lock pin 02	1
68	GB/T 5782	lock nut M30	4
69	GB/T 97.1	plain washer 30	5
70	AGF140.101	long pin	2
71	AGF220.15	lock pin 01	1
72	VBMD220.17	cover	1
73	GB/T 5783	Bolt M14*45	4
74	GB/T 93	spring washer 14	4
75	SF-2	bushing Ø115XØ110X60	2
76	GB/T 5782	lock nut M20	4
77	GB/T 97.1	washer 20	4
78	VBMD220.14	swing shaft weldment	1
79	VBMD220.18	pin shaft 03	1
80	VBMD220.24	pin shaft 06	1
81	VBMD220.22	swing cylinder	1
82	GB/T 3541	bolt M16*1.5*45	4
83	AGF140.046	locking valve	1
84	GB/T 97.1	plain washer 16	2
85	VBMD220.20	connecton weldment(bottom)	1
86	VBMD220.21	pin shaft 04	1
87	VBMD220.19	connecton weldment(upon)	1
88	VBMD220.23	pin shaft 05	1
89	VBM250.45	rotor weldment 250	1
89	VBM220.45	rotor weldment 220	1
89	VBM200.45	rotor weldment 200	1
89	VBM180.45	rotor weldment 180	1
90	VBMD220.1	3-point-linkage weldment	1
91	VBMD220.4	upon pin weldment	1
92	1G135.00.107	stand foot weldment	2
93	VBMD220.5	low pin weldment	3
94	GB/T 96.1	big washer 12	2
95	EFGC125.110	R pin 3.2	2
96	VBMD220.3	long foot weldment	2
97	EFGC125.124	hook	1
98	AGF140.031	saml connection weldment	1
99	Bolt	Bolt M12*40	1
100	VBMD220.11	shaft pin 01 washer	2
101	GB/T 6178	Nut M30	1
102	GB/T 91	cotter 8*80	1
103	AGF140.106	short pin	1

104	VBMD220.2	bracket weldment	1
105	VBMD220.8	spring washer	6
106	VBMD220.9	spring for anti-shock	3
107	SF-2	bushing $\varnothing 44 \times \varnothing 40 \times 50$	8
108	VBMD220.7	connection weldment	1
109	GB/T 5782	lock nut M24	2
110	AGF140.019	back arm weldment	1
111	VBMD220.13	front arm weldment	1
112	AGF140.021	side shift cylinder	1
113	GB/T 5783	bolt M24*110	2
114	VBMD220.12	pin shaft 02	1
115	VBMD220.10	pin shaft 01	1
116	AGF140.044	oil pipe	2
117	GE12SR1/2ED	connection	4
118	GB/T5862-2008	adaptorG1/2	4
119	AGF140.043	oil pipe	2
120	AGF140.045	ball joint assemble	2
121	GB/T 5785	Bolt M16*1.5*100	20
122	AGF140.201	hammers	20
123	GB/T 6185.2	lock nut M16*1.5	20