


Spare Part Book



SB





Machine: SB

Assembly: SB_parte 1



Pos	Code	Description	NOTE	Q.
1	GB5782-86/M12x65	Bolt M12x65		4
2	MZ105.030	Hanging arm weldment (L)		1
3	GB5783-86/M12x40	Bolt M12x40		2
4	MZ105.107	Connecting plate		1
5	GB97.1-85/12	Plain washer 12		18
6	GB93-87-12	Spring lock washer 12		19
7	GB889-86-M12	Locking nut M12		11
8	MZ105.031	Frame for gear box		1
9	MZ105.103	U shape bolt		2
10	MZ105.032	Hanging arm weldment (R)		1
11	MZ105.129	Adjusting plate		2
12	GB5783-86/M12x35	Bolt M12x35		2
13	MZ105.018	Flex pipe combination		1
14	GB5783-86/M8x25	Bolt M8x25		2
15	GB93-87-8	Spring lock washer 8		4
16	GB97.1-85/8	Plain washer 8		6
17	XH-27J.875	Gearbox		1
18	MZ105.036	Suspension plate weldment (L)		1
19	MZ105.035	Suspension plate weldment (R)		1
20	MZ105.016	En sleeve weldment		1
21	GB889-86-M8	Locking nut M8		2
22	MZ105.037	Hook		1
23	GB889-86-M10	Locking nut M10		1
24	GB93-87-10	Spring lock washer 10		1
25	GB97.1-85	Plain washer		2

GEO Italy S.R.L.


Via G. Abbate, 215, 14054 Castagnole delle Lanze AT

Page 12

Machine: SB
Assembly: SB_parte 1



Pos	Code	Description	NOTE	Q.
26	MZ105.131	Supporter for hook		1
27	GB5783-86/M10x30	Bolt M10X30		1
28	GB5782-86/M12x85	Bolt M12x85		1
29	MZ105.130	Sleeve Spacer		1
30	MZ105.101	Cover board		1



Machine: SB

Assembly: SB_parte 2



Pos	Code	Description	NOTE	Q.
1	GB97.1-85/14	Plain washer 14		2
2	GB93-87-14	Spring lock washer 14		2
3	GB5783-86/M14x80	Bolt M14x80		2
4	MZ105.014	Rear cover (L)		1
5	GB5783-86/M14x80	Bolt M14x80		6
6	GB93-87-14	Spring lock washer 14		11
7	GB96-85-14	Plait washer 14		2
8	MZ105.106	Sleeve		2
9	GB5783-86/M12x50	Bolt M12x50		2
10	GB97.1-85/12	Plain washer 12		14
11	GB889-86-M12	Locking nut M12		7
12	GB889-86-M10	Locking nut M10		14
13	GB93-87-10	Spring lock washer 10		14
14	GB97.1-85/10	Plain washer 10		28
15	GB5783-86/M10x40	Bolt M10X40		6
16	GB5783-86/M10x30	Bolt M10X30		4
17	MZ105.105	Lower connecting		1
18	GB983.1-86	Retaining ring 72		1
19	MZ105.116	Dustproof cover		1
20	GB1152-89/M6	Grease nipple M6		1
21	GB5783-86/M14x80	Bolt M14x80		3
22	MZ105.104	Front connectong plate		2
23	GB5783-86/M14x80	Bolt M14x80		2
24	GB5783-86/M14x80	Bolt M14x80		2
25	MZ105.021	Bracket weldment (L)		1

GEO Italy S.R.L.

Via G. Abbate, 215, 14054 Castagnole delle Lanze AT

Page 15

Machine: SB

Assembly: SB_parte 2




Pos	Code	Description	NOTE	Q.
26	MZ105.011	Inner cover weldment 105		1
26	MZ125.011	Inner cover weldment 125		1
26	MZ145.011	Inner cover weldment 145		1
26	MZ165.011	Inner cover weldment 165		1
27	MZ105.033	Bracket weldment (R)		1
28	GB170-86	Nut6 M12		2
29	MZ105.013	Rear cover (R)		2
30	MZ105.029	Cover board weldment 105		1
30	MZ125.029	Cover board weldment 125		1
30	MZ145.029	Cover board weldment 145		1
30	MZ165.029	Cover board weldment 165		1
31	MZ105.012	Guard weldment		1

GEO Italy S.R.L.

Via G. Abbate, 215, 14054 Castagnole delle Lanze AT

Page 16



Machine: SB

Assembly: SB_parte 3




Pos	Code	Description	NOTE	Q.
1	GB5783-86/M12x25	Bolt M12x25		1
2	MZ105.115	Retaining Lock washer		1
3	GB276-94-6306	Bearing 6306		1
4	GB13871-92-45x65x8	Oil seal FB45x65x8		1
5	MZ105.118	Sealed felt ring		2
6	GB5783-86/M12x40	Bolt M12x40		40
7	GB97.1-85/12	Plain washer 12		40
8	GB93-87-12	Spring lock washer 12		40
9	GB889-86-M12	Locking nut M12		40
10	MZ105.119	Right bend blade		10
11	MZ105.028	Blade shaft weldment 105		1
11	MZ125.028	Blade shaft weldment 125		1
11	MZ145.028	Blade shaft weldment 145		1
11	MZ165.028	Blade shaft weldment 165		1
12	MZ105.120	Left bend blade		10
13	GB13871-92-50x72x8	Oil seal FB50x72x8		1
14	GB276-94-6209	Bearing 6209		1
15	GB893.1-86/85	Circlip 85		1
16	MZ105.028.001	Blade shaft weldment 105 with Blades		1
16	MZ125.028.001	Blade shaft weldment 125 with Blades		1
16	MZ145.028.001	Blade shaft weldment 145 with Blades		1
16	MZ165.028.001	Blade shaft weldment 165 with Blades		1

GEO Italy S.R.L.

Via G. Abbate, 215, 14054 Castagnole delle Lanze AT

Page 18



Machine: SB

Assembly: SB_parte 4



Pos	Code	Description	NOTE	Q.
1	GB91-86-2.5x20	Split pin 2.5x20		1
2	MZ105.110	Rod for hanging rear cover 105		1
2	MZ125.110	Rod for hanging rear cove 125		1
2	MZ145-110	Rod for hanging rear cove 145		1
2	MZ165-110	Rod for hanging rear cove 165		1
3	MZ105.025	Rear cover 105		1
3	MZ125.025	Rear cover 125		1
3	MZ145.025	Rear cover 145		1
3	MZ165.025	Rear cover 165		1
4	MZ105.026	Fram for tooth 105		1
4	MZ125.026	Fram for tooth 125		1
4	MZ145.026	Fram for tooth 145		1
4	MZ165.026	Fram for tooth 165		1
5	MZ105.019	Shock absorpion block		2
6	GB97.1-85/10	Plain washer 10		6
7	GB93-87-10	Spring lock washer 10		6
8	GB889-86-M10	Locking nut M10		2
9	MZ105.117	Tooth 105		0
10	MZ105.112	Short rubber pad		2
11	MZ105.118_1	Presse plate (short)		1
12	MZ105.107_1	Bolt with gripe		4
13	MZ105.109	Presse plate (long) 105		1
13	MZ125.109	Presse plate (long) 125		1
13	MZ145.109	Presse plate (long) 145		1
13	MZ165.109	Presse plate (long) 165		1

GEO Italy S.R.L.


Via G. Abbate, 215, 14054 Castagnole delle Lanze AT

Page 20

Machine: SB
Assembly: SB_parte 4



Pos	Code	Description	NOTE	Q.
14	MZ105.111	Long rubber pad 105		1
14	MZ125.111	Long rubber pad 125		1
14	MZ145.111	Long rubber pad 145		1
14	MZ165.111	Long rubber pad 165		1



Machine: SB

Assembly: SB_parte 5



Pos	Code	Description	NOTE	Q.
1	GB5786-86/M16X1.5X8	Bolt M16x1.5x8		2
2	12.37.149	Assembled seal ring		2
3	GB5783-86/M12x35	Bolt M12x35		1
4	GB97.1-85/12	Plain washer 12		1
5	MZ105.034	Chian guard weldment		1
6	GB5783-86/M10x20	Bolt M10x20		1
7	12.37.219	Washer		1
8	GB6172-86/M12	Nut M12		1
9	GB85-88	Looking nut M12x50		1
10	GB894.1-86-42	Retaining ring 42		1
11	MZ105.122	Driven chain whell		1
12	GB5782-86/M12x65	Bolt M12x65		1
13	MZ105.027	Tension plate		1
14	GB93-87-12	Spring lock washer 12		5
15	GB889-86-M12	Locking nut M12		5
16	GB5783-86/M12x40	Bolt M12x40		4
17	MZ105.69.38	Transmission shaft 105		1
17	MZ125.79.38	Transmission shaft 125		1
17	MZ145.89.38	Transmission shaft 145		1
17	MZ165.99.38	Transmission shaft 165		1
18	MZ105.128	Bearing seat		1
19	MZ105.124	Oil seal packet		1
20	GB13871-92-45x72x8	Oil seal FB45x72x8		1
21	GB276-94-6307	Bearing 6307		1
22	GB893.186	Retaining ring 80		1

GEO Italy S.R.L.

Via G. Abbate, 215, 14054 Castagnole delle Lanze AT

Page 23

Machine: SB

Assembly: SB_parte 5




Pos	Code	Description	NOTE	Q.
23	MZ105.127	Driving chain wheel		1
24	GB894.1-86-32	Retaining ring 32		1
25	GB1243.1-83	Chain ISO-16A-1X42		1
26	GB889-86-M8	Locking nut M8		16
27	GB93-87-8	Spring lock washer 8		16
28	MZ105.121	Paper Seal		1
29	GB5783-86/M8x25	Bolt M8x25		16

GEO Italy S.R.L.

Via G. Abbate, 215, 14054 Castagnole delle Lanze AT

Page 24



Machine: SB

Assembly: SB_parte 6



Pos	Code	Description	NOTE	Q.
1	200.56.011	Lock pin		4
2	MZ105.039	Joint weldment (L)		2
3	MZ105.169	Screw tube		2
4	MZ105.170	Turn buckle		2
5	GB6172-86/M22	Nut M22		2
6	MZ105.040	Joint weldment (R)		2
7	MZ105.113	Bracket for sprint		2
8	GB5783-86/M12x45	Bolt M12X45		4
9	GB5783-86/M12x45	Bolt M12X45		2
10	GB93-87-12	Spring lock washer 12		6
11	MZ105.114	Pulling spring		2
12	MZ105.023	Roller weldment 105		1
12	MZ125.023	Roller weldment 125		1
12	MZ145.023	Roller weldment 145		1
12	MZ165.023	Roller weldment 165		1
13	GB889-86-M10	Locking nut M10		2
14	GB97.1-85/10	Plain washer 10		2
15	MZ105.022	Frame 105		1
15	MZ125.022	Frame 125		1
15	MZ145.022	Frame 145		1
15	MZ165.022	Frame 165		1
16	GB5783-86/M12x45	Bolt M12X45		2
17	GB6170-86-M10	Nut M10		2
18	GB889-86-M12	Locking nut M12		4
19	GB7810-87-90205	Bearing 90205		2

GEO Italy S.R.L.


Via G. Abbate, 215, 14054 Castagnole delle Lanze AT

Page 26

Machine: SB
Assembly: SB_parte 6



Pos	Code	Description	NOTE	Q.
20	MZ105.020	Bracket (R)		1
21	MZ105.015	Bracket (L)		1



Machine: SB

Assembly: SB_parte 7



Pos	Code	Description	NOTE	Q.
1	GB5783-86/M10x20	Bolt M10x20		4
2	GBW.001	Plug 3/8"GAS		2
3	0.107.7100.00	Vent plug		1
4	0.267.1300.00	Cover		1
5	0.267.0500.00	Case		1
6	GB13871-94-60X95X10	Oil seal 60x95x10		2
7	GB893.1-86/95	Circlip 95		2
8	GBW.002	Adjusting shim85.3x94.7		2
9	GB/T276-94-6012	Bearing 6012		2
10	0.267.6000.00	Bevel gear		1
11	0.267.4601.00	Output shaft		1
12	GB1096-B14x9x35	Key B14x9x35		1
13	0.267.5001.00	Shaf with gear		1
14	GBW.003	Adjusting shim35.3x48		2
15	GB297-94/30207	Bearing 30207		1
16	GB893.1-84	Retaining ring for hole 72		1
17	0.267.7100.00	Sleeve		1
18	GB/T276-94-6207	Bearing 6207		1
19	GB894.1-86-35	Circlip 35		1
20	GB13871-94-35x72x10	Oil seal 35x72x10		1

GEO Italy S.R.L.

Via G. Abbate, 215, 14054 Castagnole delle Lanze AT

Page 29